


/ Descriptions

/ Equivalent Circuit



/ Marking

| | | |
|--|--|--|
| | | |
| | | |
| | | |







/ Absolute Maximum Ratings(Ta=25)

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |


/ Electrical Characteristics(Ta=25)

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |


/ Electrical Characteristic Curve




/ Package Dimensions



/ Marking Instructions



() / K\d g\iXk i\`Gif]`d`]fi`@`l`]\`fn`Jfd` \i`e`^ZGY\$`i`\\z



/ Resistance to Soldering Heat Test Conditions

/ Packaging SPEC.

| 封装形式 | 包装数量 | | | | | 包装尺寸 : | | |
|--------|--------------------|-------------------------|------------------------|------------------------------|------------------------|--------|-------------|-------------|
| | Units/Reel 只/卷盘 | Reels/Inner Box 卷盘/盒 | Units/Inner Box 只/盒 | Inner Boxes/Outer Box 盒/箱 | Units/Outer Box 只/箱 | Reel | Inner Box 盒 | Outer Box 箱 |
| SOT-89 | 1,000 | 7 | 7,000 | 8 | 56,000 | 7 ×12 | 180×120×180 | 385×257×392 |

/ Notices